




SUPPORT YOUR IMAGE



The magic life in the image world
E-IMAGE



Contact Information

NINGBO EIMAGE STUDIO EQUIPMENT CO., LTD

Address: No.1230 South Cihai Rd,Luotuo Industry zone, Zhenhai,
Ningbo, China. 315202

Tel:86-574-86590031,86-574-86590061

E-mail: sales@eimagevideo.com

Visit www.eimagevideo.com for more information



















E-IMAGE Official QR Code

2023/24

GRIPS & STANDS


www.eimagevideo.com

KEY TO SYMBOLS

	Minimum Height		Minimum Height
	Maximum Height		Maximum Height
	Transport Length		Minimum Arm Length
	Net Weight		Maximum Arm Length
	Payload Range		Spigot Size
	Footprint Diameter		Spigot Size
	Length		Socket Size
	Center Tube Size		Material
LEG	Leg Tube Size	BASE	Mounting Base Size

Contents

1-5	C-Stand Kits & C-Stands
6	Wheels & C-Stand Rolling Kit Bag
7	Baby Stands
8	Roller Stands
9-10	Combo Stands
11	Overhead Stands
12	Wind Up Stands
13-14	Boom Stand Kits
15	Boom Arms
16	Super Higher Stands
17-22	Light Stands
23-24	Flag Panels
25-26	Butterfly Frames
27	Combo Stand & C-stand Mini Carts
28	Autopoles
29-30	Screws & Adapters
31-32	Adapters & Wall Plates
33	Coupler Clamps
34-35	Clamps & Adapters
36	Accessories & Forks
37	Stands & Arms
38	Multiple Mount Stands
39	Accessories




Detachable Base for easy transportation.




Ergonomic "T" shaped handles.



Extended riser to lock more tightly.



1/4" and 3/8" stud at the end of arm.



Ergonomic "T" shaped handles.




Stronger riser to lock more tightly.



1/4" and 3/8" stud at the end of arm.



Non-slip high density foam cover.




LCS-03



LCS-02



LCS-01



LCS-04



LCS-05



LCS-06

	137.2cm/54"
	288.6cm/113.6"
	137.2cm/54"
	25,30,35mm
LEG	25mm
	8.2kg/18lb
	20kg/44lb
	5/8"
	96cm/37.8"
	117cm/46.1"

	111.8cm/44"
	212.4cm/83.6"
	111.8cm/44"
	25,30,35mm
LEG	25mm
	7.6kg/16.7lb
	20kg/44lb
	5/8"
	96cm/37.8"
	117cm/46.1"

	86.4cm/34"
	136.2cm/53.6"
	86.4cm/34"
	25,30,35mm
LEG	25mm
	7kg/15.4lb
	20kg/44lb
	5/8"
	96cm/37.8"
	117cm/46.1"

	145cm/57.1"
	290cm/114.2"
	145cm/57.1"
	25,30,35mm
LEG	30mm
	7.6kg/16.7lb
	20kg/44lb
	5/8"
	108cm/42.5"
	127cm/50"

	145cm/57.1"
	328cm/129.1"
	145cm/57.1"
	25,30,35mm
LEG	30mm
	8.1kg/17.8lb
	10kg/22lb
	5/8"
	108cm/42.5"
	127cm/50"


	145cm/57.1"
	328cm/129.1"
	145cm/57.1"
	25,30,35mm
LEG	30mm
	8.1kg/17.8lb
	10kg/22lb
	5/8"
	108cm/42.5"
	127cm/50"



Sliding leg
for uneven surfaces or stairs.



Fixed grip head.



Stronger riser
to lock more tightly.



Non-slip high density
foam cover.



LCS-S40

	146cm/57.5"
	290cm/114.2"
	146cm/57.5"
	25,30,35mm
LEG	30mm
	8.3kg/18.3lb
	10kg/22lb
	5/8"
	108cm/42.5"
	100cm/39.4"



LCS-S30

	117cm/46.1"
	230cm/90.6"
	117cm/46.1"
	25,30,35mm
LEG	30mm
	7.7kg/16.9lb
	12kg/26.4lb
	5/8"
	108cm/42.5"
	100cm/39.4"



LCS-S20


	97cm/38.2"
	166cm/65.4"
	97cm/38.2"
	25,30,35mm
LEG	30mm
	6.6kg/14.5lb
	15kg/33lb
	5/8"
	108cm/42.5"
	50cm/19.7"



Sliding leg
for uneven surfaces or stairs.




Stronger riser
to lock more tightly.



5/8" Stud.



Non-slip high density
foam cover.



LCS-S40SD

	146cm/57.5"
	290cm/114.2"
	146cm/57.5"
	25,30,35mm
LEG	30mm
	7kg/15.4lb
	10kg/22lb
	5/8"
	108cm/42.5"



LCS-S30SD

	117cm/46.1"
	230cm/90.6"
	117cm/46.1"
	25,30,35mm
LEG	30mm
	6kg/13.2lb
	12kg/26.4lb
	5/8"
	108cm/42.5"




LCS-S20SD

	97cm/38.2"
	166cm/65.4"
	97cm/38.2"
	25,30,35mm
LEG	30mm
	5.4kg/11.9lb
	15kg/33lb
	5/8"
	108cm/42.5"

C-Stand Kits




Detachable Base for easy transportation.




Ergonomic "T" shaped handles.



Stronger riser to lock more tightly.



1/4" and 3/8" stud at the end of arm.



LCS-03S

LCS-02S

LCS-01S

	136cm/53.5"
	300cm/118.1"
	136cm/53.5"
	25,30,35mm
LEG	25mm
	8.5kg/18.7lb
	20kg/44lb
	5/8"
	96cm/37.8"
	107.5cm/42.3"

	115.5cm/45.5"
	242cm/95.3"
	115.5cm/45.5"
	25,30,35mm
LEG	25mm
	7.3kg/16.1lb
	20kg/44lb
	5/8"
	96cm/37.8"
	77cm/30.3"

	101cm/39.8"
	194cm/76.4"
	101cm/39.8"
	25,30,35mm
LEG	25mm
	6.8kg/15.0lb
	20kg/44lb
	5/8"
	96cm/37.8"
	55cm/24.7"

Optional:



CS25-S

Φ25mm Locking Wheel Set

1410g


Wheels & C-Stand Rolling Kit Bag



CS25-W

Φ25mm Locking Wheel Set

	1.65kg/3.6lb
FOR STANDS	LCS-01/02/03, LCS-01S/02S/03S, HS01 PLUS



CS30-W

Φ30mm Locking Wheel Set

	1.9kg/4.2lb
FOR STANDS	LCS-04/05/06, LCS-S20/S30/S40, LCS-S20SD/S30SD/S40SD



HS03-W

25*25mm Locking Wheel Set

	4.15kg/9.1lb
FOR STANDS	HS02 PLUS,HS03,HS05, 9109A PLUS,9109B PLUS, 9109C PLUS,LS-B17

* For HS03, there is extra operation needed.



Press down the pedal to lock the wheel.



Lift up the pedal to unlock the wheel.



Press down the pedal to lock the wheel.



Lift up the pedal to unlock the wheel.



LB-10

C-Stand Rolling Kit Bag for 3pcs Stands

Inner Size	135x39x18cm/53.1x15.4x7.1"
External Size	146x40x22cm/57.5x15.7x8.7"
Fabric	Water-proof wearable 1680D nylon

* Fits 20"/30"/40"C-Stands with Removable Bases.



Padded Interior with adjustable dividers.



With top pull handle.



Pull handle and wheels on bottom.



Three interior tie-down straps.



Top head with 1-1/8" receiver, 5/8" stud.



Sturdy riser with T-shaped handle.



Portable handle.




Sturdy riser with T-shaped handle.



Center column can be againsted the ground, to increase the stability.



Adjustable leg.



93cm

LS-B17

📏	93.5cm/36.8"
📏	167cm/65.7"
📏	93cm/36.6"
📏	35,40,45mm
LEG	25x25mm
📏	8.8kg/19.4lb
📏	40kg/88lb
📏	5/8"
📏	1-1/8"
📏	106cm/41.7"



LS-B40


📏	138.8cm/54.6"
📏	413cm/162.6"
📏	120cm/47.2"
📏	20,25,30,35mm
LEG	20x20mm
📏	4.85kg/10.7lb
📏	8kg/17.6lb
📏	5/8"
📏	127.4cm/50.2"



Fold-Up Base.



Locking Wheels.



Ergonomic knob use comfortably and lock quickly.



Stable and sturdy base.



RS-860

📏	133cm/52.4"
📏	220cm/86.6"
📏	122.5cm/48.2"
📏	30,35mm
LEG	20x40mm
📏	8.4kg/18.5lb
📏	10kg/22lb
📏	110cm/43"
📏	5/8"
📏	1-1/8"



RS-870

📏	108cm/42.5"
📏	257cm/101.2"
📏	97cm/38.2"
📏	25,30,35mm
LEG	20x40mm
📏	5.8kg/12.8lb
📏	8kg/17.6lb
📏	89cm/35"
📏	5/8"




RS-875

📏	111cm/43.7"
📏	340cm/133.9"
📏	100cm/39.4"
📏	20,25,30,35mm
LEG	20x40mm
📏	6kg/13.2lb
📏	8kg/17.6lb
📏	89cm/35"
📏	5/8"




RS-880

📏	110cm/43.3"
📏	270cm/106.3"
📏	110cm/43.3"
📏	25,30,35mm
LEG	20x20mm
📏	5.1kg/11.2lb
📏	10kg/22lb
📏	100cm/39.4"
📏	5/8"



5/8" Stud.



Stronger riser with handle.



Center column can be againsted the ground.




Locking wheels.




Remains standing while folded.



Top head with
1-1/8" receiver, 5/8" stud.



Sturdy riser
with T-shaped handle.



Center column can be
against the ground,
to increase the stability.



One extendable leg.



HS01

	135cm/53.1"
	307cm/120.9"
	135cm/53.1"
	30,35,40mm
LEG	22mm
	8.8kg/19.4lb
	15kg/33lb
	5/8"
	1-1/8"
	140cm/55.1"




HS01 PLUS

	140cm/55.1"
	323cm/127.2"
	140cm/55.1"
	30,35,40mm
LEG	25mm
	9.5kg/20.9lb
	40kg/88.0lb
	5/8"
	1-1/8"
	120cm/47.2"




HS05

	146.5cm/57.7"
	401cm/157.9"
	146.5cm/57.7"
	30,35,40,45mm
LEG	25x25mm
	12.58kg/27.7lb
	40kg/88lb
	5/8"
	1-1/8"
	158cm/62.2"



Center column can be
against the ground,
to increase the stability.



One extendable leg.



9109A PLUS

	155.5cm/61.2"
	440cm/173.2"
	155.5cm/61.2"
	30,34,40,45mm
LEG	25x25mm
	16.8kg/37lb
	40kg/88lbs
	5/8"
	1-1/8"
	160cm/63"



HS02 PLUS

	107cm/42.1"
	210cm/82.7"
	107cm/42.1"
	30,35,40mm
LEG	25x25mm
	7.5kg/16.5lb
	15kg/33lb
	5/8"
	1-1/8"
	100cm/39.4"



HS03

	142cm/55.9"
	426cm/167.7"
	147cm/57.9"
	30,35,40,45mm
LEG	25x25mm
	13kg/28.6lb
	20kg/44lb
	5/8"
	1-1/8"
	140cm/55.1"



9109B PLUS

	141.5cm/55.7"
	345cm/135.8"
	141.5cm/55.7"
	35,40,45mm
LEG	25x25mm
	15.4kg/34lb
	40kg/88lbs
	5/8"
	1-1/8"
	160cm/63"



9109C PLUS

	140cm/55.1"
	310cm/122"
	140cm/55.1"
	30,35,40mm
LEG	25x25mm
	8kg/17.6lb
	15kg/33lb
	5/8"
	1-1/8"
	124cm/48.8"


Overhead Stands




Overhead with 5/8" Stud.



Sturdy riser with T-shaped handle.



Center column can be againsted the ground, to increase the stability.



One extendable leg.



Locking Wheels.

HE58

	190cm/74.8"
	580cm/228.3"
	190cm/74.8"
	30,35,40,45mm
LEG	25x25mm
	18.9kg/41.6lb
	20kg/44lb
	5/8"
	1-1/8"
	160cm/63"



HE65

	195cm/76.8"
	630cm/248"
	215cm/84.6"
	35,40,45,50mm
LEG	30x30mm
	28kg/61.6lb
	20kg/44lb
	5/8"
	1-1/8"
	204cm/80.3"

Wind Up Stands



WS-36

	176cm/69.3"
	367cm/144.5"
	199cm/78.3"
	40,50,60mm
LEG	30x30mm
	38.7kg/85.1lb
	50kg/110lb
	154cm/60.6"




WS-56

	186cm/73.2"
	565cm/222.4"
	213cm/83.9"
	50,60,70,80,90mm
LEG	30x30mm
	82kg/180.4lb
	65kg/143lb
	220cm/86.6"



Skid-proof foot pedal.



Z-Type structure.




One extendable leg for uneven terrain.



Self-locking for safety.



Removable universal wheels. Equipped with safety pin.



Center column rise up from top to bottom.



The crank handle with switch can control the center column up or down.



HSB30

	136cm/53.5"
	492cm/193.7"
	119cm/46.9"
	20,25,30,35,40mm
LEG	25mm
	4.3kg/9.5lb
	4kg/8.8lb
	124cm/48.8"
	1/4" & 3/8"
	280cm/110.2"



HSB80

	168cm/66.1"
	532cm/209.4"
	172cm/67.7"
	25,30,35,40,45mm
LEG	25x25mm
	22.1kg/48.6lb
	10kg/22lb
	144cm/56.7"
	5/8"
	1-1/8"
	240cm/94.5"



HSB100

	115cm/45.3"
	226cm/89"
	150cm/59.1"
	30,35,40,45mm
LEG	25x25mm
	22.4kg/49.4lb
	5kg/11lb
	134cm/52.8"
	1/4" & 3/8"
	260cm/102.4"



HSB200

	130cm/51.2"
	300cm/118.1"
	150cm/59.1"
	30,35,40,45mm
LEG	25x25mm
	26kg/57.3lb
	5kg/11lb
	150cm/59.1"
	1/4" & 3/8"
	260cm/102.4"



HSB300

	200cm/78.7"
	395cm/155.5"
	224cm/88.2"
	40,50,60mm
LEG	30x30mm
	55kg/121.3lb
	30kg/66.1lb
	200cm/78.7"
	370cm/145.7"



EI-B83

⊖	105cm/41.3"
⊕	192cm/75.6"
⊞	105cm/41.3"
⊘	20,25mm
🔒	1.5kg/3.3lb
⬇️	2kg/4.4lb
👤	1/4" & 3/8"

EI-B84

⊖	77cm/30.3"
⊕	206cm/81.1"
⊞	77cm/30.3"
⊘	19,22.4,26mm
🔒	1.8kg/4lb
⬇️	2kg/4.4lb
👤	1/4" & 3/8"

EI-B85

⊖	121cm/47.6"
⊕	220cm/86.6"
⊞	121cm/47.6"
⊘	25,30mm
🔒	3.7kg/8.1lb
⬇️	5kg/11lb
👤	5/8"



EI-B93

⊖	121cm/47.6"
⊕	220cm/86.6"
⊞	121cm/47.6"
⊘	25,30mm
🔒	4.25kg/9.4lb
⬇️	5kg/11lb
👤	5/8"

EI-B94


⊖	122cm/48"
⊕	217cm/85.4"
⊞	122cm/48"
⊘	25,30mm
🔒	3.18kg/7lb
⬇️	5kg/11lb
👤	5/8"

EI-B95

⊖	107.5cm/42.3"
⊕	263cm/103.5"
⊞	96cm/37.8"
⊘	25,30,35mm
🔒	4.1kg/9.0lb
⬇️	5kg/11lb
👤	5/8"

EI-B96

⊖	124.5cm/49"
⊕	210cm/82.7"
⊞	124.5cm/49"
⊘	30,35mm
🔒	5.2kg/11.4lb
⬇️	5kg/11lb
👤	5/8"
👤	1-1/8"



The wind bracing cable can hook on the triangular plate.

Additional standard 1/4" & 3/8" screw hole and cold shoe mount.

One extendable leg.

Ergonomic knob use comfortably and lock quickly.



LS-PRO80

⊖	175cm/68.9"
⊕	631cm/248.4"
⊞	175cm/68.9"
⊘	25,30,35,40,45mm
LEG	25mm
🔒	8.7kg/19.2lb
⬇️	<5M 10kg >5M 5kg
👤	Aluminum
👤	3/8"
👤	173cm/68.1"



LS-PRO80C

⊖	175cm/68.9"
⊕	631cm/248.4"
⊞	175cm/68.9"
⊘	25,30,35,40,45mm
LEG	25mm
🔒	7.7kg/17.0lb
⬇️	<5M 10kg >5M 5kg
👤	Carbon fiber
👤	3/8"
👤	173cm/68.1"


* For light stand, please always be very careful when extend it to higher height.



Center column can be againsted the ground, to increase the stability.




Ergonomic knob use comfortably and lock quickly.



Stainless steel material.



Strong connection joint.



Center column can be againsted the ground, to increase the stability.



Metal knob use comfortably and lock quickly.



Air cushioning prevents damage to fingers and equipment.



Strong connection joint.



LS-PRO70

	121cm/47.6"
	265cm/104.3"
	112cm/44.1"
	25,30,35mm
LEG	22mm
	4.54kg/10lb
	10kg/22lbs
	Stainless Steel
	1/4" & 3/8"
	112cm/44.1"



LS-PRO70S

	121cm/47.6"
	265cm/104.3"
	112cm/44.1"
	25,30,35mm
LEG	22mm
	4.54kg/10lb
	10kg/22lbs
	Stainless Steel
	5/8"
	112cm/44.1"



LS-PRO60

	122cm/48"
	283cm/111.4"
	105cm/41.3"
	25,30,35mm
LEG	22mm
	2.62kg/5.8lb
	8kg/17.6lb
	Aluminum
	1/4" & 3/8"
	124cm/48.8"



LS-PRO62

	126cm/49.6"
	365cm/143.7"
	107.5cm/42.3"
	25,30,35,40mm
LEG	25mm
	3.26kg/7.2lb
	<3m 10kg
	>3m 4kg
	Aluminum
	1/4" & 3/8"
	124cm/48.8"




LS-PRO64

	126cm/49.6"
	365cm/143.7"
	107.5cm/42.3"
	25,30,35,40mm
LEG	25mm
	3.26kg/7.2lb
	<3m 10kg
	>3m 4kg
	Aluminum
	5/8"
	124cm/48.8"



Standard with a 1/4" male to 3/8" male adapter for more shooting request.




Ergonomic knob use comfortably and lock quickly.



Air cushioning prevents damage to fingers and equipment.



Strong connection joint.



Center column can be againsted the ground, to increase the stability.



Metal knob use comfortably and lock quickly.



Air cushioning prevents damage to fingers and equipment.



Strong connection joint.




LS-PRO30

	122cm/48"
	300cm/118.1"
	104cm/40.9"
	25,30,35mm
LEG	22mm
	2.4kg/5.3lb
	6kg/13.2lb
	Aluminum
	1/4" & 3/8"
	128cm/50.4in



LS-PRO30A

	122cm/48"
	300cm/118.1"
	104cm/40.9"
	25,30,35mm
LEG	22mm
	2.56kg/5.6lb
	6kg/13.2lb
	Aluminum
	1/4" & 3/8"
	128cm/50.4in



Adjustable leg.




LS-PRO50

	120cm/47.2"
	284cm/111.8"
	106cm/41.7"
	25,30,35mm
LEG	22mm
	2.5kg/5.5lb
	8kg/17.6lb
	Aluminum
	1/4" & 3/8"
	124cm/48.8in



LS-PRO50A

	120cm/47.2"
	284cm/111.8"
	106cm/41.7"
	25,30,35mm
LEG	22mm
	2.62kg/5.8lb
	8kg/17.6lb
	Aluminum
	1/4" & 3/8"
	124cm/48.8in



Adjustable leg.



LS-PRO32

	140cm/55.1"
	320cm/126"
	119cm/46.9"
	25,30,35mm
LEG	22mm
	2.38kg/5.2lb
	6kg/13.2lb
	Aluminum
	1/4" & 3/8"
	128cm/50.4in



LS-PRO38

	123cm/48.4"
	380cm/149.6"
	111cm/43.7"
	20,25,30,35mm
LEG	22mm
	2.7kg/5.9lb
	<3m 6kg >3m 4kg
	Aluminum
	1/4" & 3/8"
	128cm/50.4in



LS-PRO58

	130cm/51.2"
	380cm/149.6"
	115cm/45.3"
	20,25,30,35mm
LEG	22mm
	2.85kg/6.3lb
	<3m 8kg >3m 4kg
	Aluminum
	1/4" & 3/8"
	124cm/48.8in



LS-PRO59

	130cm/51.2"
	396cm/155.9"
	114cm/44.9"
	20,25,30,35mm
LEG	22mm
	2.95kg/6.5lb
	<3m 8kg >3m 4kg
	Aluminum
	1/4" & 3/8"
	124cm/48.8in



Extendable leg.



Strong connection joint.



Ergonomic knob
use comfortably and lock quickly.



Reverse folding leg design.



Strong connection joint.



Ergonomic knob
use comfortably and lock quickly.



High quality
aluminum material.



Encircling riser lock more tightly.



LS01

	48cm/18.9"
	220cm/86.6"
	49cm/19.3"
	14, 17, 20, 22, 26mm
LEG	20, 16mm
	1.3kg/2.8lb
	3kg/6.6lb
	Aluminum
	1/4"
	110cm/43.3"



LS01L

	76cm/29.9"
	270cm/106.3"
	76cm/29.9"
	19, 22.4, 26, 29.5mm
LEG	22, 19mm
	2.1kg/4.6lb
	3kg/6.6lb
	Aluminum
	1/4" & 3/8"
	150cm/59.1"



LS03

	89cm/35"
	260cm/102.4"
	88cm/34.6"
	22, 25, 30mm
LEG	22, 19mm
	2kg/4.4lb
	5kg/11lb
	Aluminum
	1/4"
	124cm/48.8"



LS01S

	50.5cm/19.9"
	218cm/85.8"
	50.5cm/19.9"
	13, 16, 19, 22, 25mm
LEG	6x15mm
	1.2kg/2.6lb
	2.5kg/5.5lb
	Aluminum
	1/4"
	98cm/38.6"



LS02

	60cm/23.6"
	216cm/85"
	60cm/23.6"
	19, 22.4, 26, 29.5mm
LEG	11x14mm
	1.6kg/3.5lb
	3kg/6.6lb
	Aluminum
	1/4" & 3/8"
	100cm/39.4"



LS04

	74cm/29.1"
	240cm/94.5"
	74cm/29.1"
	16, 19, 22.4, 26mm
LEG	11x14mm
	1.8kg/4.0lb
	4kg/8.8lb
	Aluminum
	1/4"
	80cm/31.5"




F01-18 18" (45x60cm)

F01-24 24" (60x76cm)

F01-30 30" (76x91cm)

Fabric: Gold / Silver / Black / White




F02-18 18" (45x60cm)

F02-24 24" (60x76cm)

F02-30 30" (76x91cm)

Fabric: Gold / Silver / Black / White



F03-36 24*36" (60x90cm)

F03-48 48*48" (120x120cm)


Fabric: Diffusion



F06-36 30*36" (70x90cm)

F06-48 48*48" (120x120cm)


Fabric: Diffusion



F04-36 28*36" (70x90cm)

F04-48 48*48" (120x120cm)

Fabric: Diffusion



F05-36 28*36" (70x90cm)

F05-48 48*48" (120x120cm)


Fabric: Diffusion / Gold / Silver / Black / White



F07-36 28*36" (70x90cm)

F07-39 31*39" (80x100cm)

Fabric: Diffusion



Optional: Gold, silver, black, white
based on customer need.

Butterfly Frames



* Stands are not included.

Model	ED-100	ED-200
Frame size	240x240cm/94.5x94.5"	360x360cm/141.7x141.7"
Tube Dim.	20x20mm	25x25mm
Transport Dim.	26x11x143cm	29x16x160cm
Net Weight	13.8kg/30.4lb	18.5kg/40.7lb

Fabric: Diffusion

What's included:




* Stands are not included.

Model	ED-210
Frame size	360x360cm/141.7x141.7"
Tube Dim.	50x50mm
Packing Weight	37.6kg/82.7lb

Fabric: Diffusion

What's included:



Butterfly Frames




* Stands are not included.

Model	EE-50	EE-100	EE-200
Frame size	180x180cm/70.9x70.9"	240x240cm/94.5x94.5"	360x360cm/141.7x141.7"
Tube Dim.	25x25mm	25x25mm	25x25mm
Transport Dim.	16x16x130cm	26x11x143cm	29x16x160cm
Net Weight	9.1kg/20lb	12.1kg/26.6lb	16.8kg/37lb

Fabric: Diffusion

What's included:



* Stands are not included.

Model	EF-50	EF-100	EF-200
Frame size	180x180cm/70.9x70.9"	240x240cm/94.5x94.5"	360x360cm/141.7x141.7"
Tube Dim.	25x25mm	25x25mm	25x25mm
Transport Dim.	16x16x130cm	26x11x143cm	29x16x160cm
Net Weight	9.1kg/20lb	12.1kg/26.6lb	16.8kg/37lb

Fabric: Diffusion

What's included:






DT-100

SIZE	126x67x125cm/49.6x26.4x49.2"
⚖️	58.5kg/128.7lb
⬇️	200kg/440lb
FOR STANDS	HS01, HS01 PLUS, HS02 PLUS, HS03, HS05, 9109A PLUS, 9109B PLUS, 9109C PLUS, LS-B17

Non-detachable.



Less than 120cm

Suitable for Combo Stands which length is less than 120cm can carry 24PCS Combo stands at most.



DT-200

SIZE	106x71x151cm/41.7x28.0x59.4"
⚖️	58kg/127.6lb
⬇️	200kg/440lb
FOR STANDS	LCS-01/02/03, LCS-04/05/06, LCS-01S/02S/03S, LCS-S20/S30/S40, LCS-S20SD/S30SD/S40SD

Non-detachable.



Suitable for all size C-stand, can carry 20PCS C-Stands at most.



SP1350

⊕	95cm/37.4"
⊖	135cm/53.1"
⊙	40,45mm
SECTION	2
⚖️	1.86kg/4.1lb
⬇️	15kg/33.1lb



SP2480

⊕	152cm/59.4"
⊖	248cm/97.6"
⊙	40,45mm
SECTION	2
⚖️	2.4kg/5.3lb
⬇️	15kg/33.1lb






SP3800

⊕	220cm/86.6"
⊖	380cm/149.6"
⊙	40,45mm
SECTION	2
⚖️	3.1kg/6.8lb
⬇️	15kg/33.1lb



SP4200

⊕	240cm/94.5"
⊖	420cm/165.4"
⊙	40,45mm
SECTION	2
⚖️	3.5kg/7.7lb
⬇️	15kg/33.1lb



Screws & Adapters



S-001S

1/4" Screw
with Ring Dia. 3CM

8g



S-001

1/4"-20 D-Ring
Camera Screw

5g



S-002

3/8"-16 D-Ring
Camera Screw

8g



S-003

1/4"-20
Camera Fixing Screw

4g



S-004

3/8"-16
Camera Fixing Screw

7g



S-022

1/4"-20 Male to 3/8"-16 Male
Thread Adapter

68mm 70g



S-023

1/4"-20 Male to 3/8"-16 Male
Thread Adapter

78mm 80g



S-024

1/4"-20 Female to 3/8"-16 Female
Thread Adapter Brass

20g



S-025

1/4"-20 Male to 3/8"-16 Male
Thread Adapter Brass

30g



S-026

1/4"-20 Female Thread Hex to
3/8"-16 Female Thread Hex
Adapter Brass

20g



S-005

1/4"-20 to 3/8"-16
Screw Adapter

1.5g



S-006

1/4"-20 Male to 1/4"-20 Male
Thread Adapter

4g



S-007

1/4"-20 to 3/8"-16
Converter Screw

14.5g



S-008

1/4"-20 Male to 3/8"-16 Male
Thread Adapter

5g



S-009

1/4"-20 Male to 3/8"-16 Female
Thread Adapter Brass

20mm 17g



S-027

1/4"-20 Male Thread to
Hex Pin Adapter Brass

70g



S-028

3/8"-16 Male Thread to
Hex Pin Adapter Brass

70g



S-029

5/8" Pin to Hex Pin Adapter

85mm 40g



S-030

5/8" Pin to Hex Pin Adapter

120mm 60g



S-031

Double Hex Pin

50mm 20g



S-010

3/8"-16 Male to 1/4"-20 Female
Thread Adapter Brass

22g



S-012

1/4"-20 Female to 3/8"-16 Female
Thread Adapter

30mm 20g



S-013

1/4"-20 Male to 3/8"-16 Male
Thread Adapter

40mm 30g



S-014

1/4"-20 Male to 3/8"-16 Male
Thread Adapter

40mm 30g



S-015

1/4"-20 Male Thread
to Hex Pin Adapter

57mm 60g



S-032

Double Hex Pin

150mm 80g



S-033

1/4"-20 Male Thread to 5/8" Pin
Adapter

105mm 130g



S-034

1/4"-20 Female Thread
to 5/8" Pin Adapter

20g



S-035

5/8" Pin Adapter

170mm 80g



S-036

1-1/8" Pin to 5/8" Pin
Adapter

550g



S-016

3/8"-16 Male Thread
to Hex Pin Adapter

55mm 60g



S-017

1/4"-20 Female Thread Hex to
3/8"-16 Female Thread Hex
Adapter

20g



S-018

1/4"-20 Male Thread Hex to
3/8"-16 Male Thread Hex
Adapter

40mm 30g



S-019

1/4"-20 Screw to
Hot Shoe Adapter

10g



S-020

1/4"-20 Screw to
Hot Shoe Adapter

20g



S-021

3/8"-16 Screw to
Hot Shoe Adapter

24g



S-037

1-1/8" Male Pin Adapter

580g



S-038

1/4"-20 Male to 3/8"-16 Male
Thread Adapter with Hex Nut
Brass

20g



S-039

1/4"-20 Male to 1/4"-20 Male
Thread Adapter with Hex Nut
Brass

20g



S-040

3/8"-16 Male to 3/8"-16 Male
Thread Adapter with Hex Nut
Brass

30g



S-041

1/4"-20 Male Thread to
5/8" Pin Adapter Brass

40g

Adapters



S-042

1/4"-20 Female Thread to 5/8" Pin Adapter
L 90mm W 50g



S-043

5/8" Pin Adapter
L 145mm W 160g



S-044

Double 5/8" Pin Adapter
L 125mm W 160g



EI-A61

1-1/8" Pin to 5/8" Pin Adapter
L 190mm W 620g



S-046

3/8"-16 Female Thread to 5/8" Pin Adapter
W 90g



S-047

1/4"-20 Male Thread to 5/8" Pin Adapter
W 120g



S-057

5/8" Pin to 5/8" Hex Stud
L 100mm W 150g



EI-A64

5/8" Pin Swivel with Wall Plate
W 960g



EI-A64A

5/8" Pin to 5/8" Receiver Heavy Duty Swivel Adapter
W 760g



EI-A65

9" Long 5/8" Pin with Wall Plate
W 680g



EI-A65L

6" Long 5/8" Pin with Wall Plate
W 600g



EI-A65M

5/8" Pin with Cheater Wall Plate
W 460g



EI-A65S

3" Long 5/8" Pin with Wall Plate
W 460g



EI-A66

8" Long Right Angle 5/8" Pin with Wall Plate
W 680g



WP-001

5/8" Pin With Wall Plate
L 60mm W 360g



WP-002

5/8" Pin With Wall Plate
L 120mm W 460g



WP-003

5/8" Pin With Wall Plate
L 160mm W 520g



WP-004

5/8" Locking Receiver with Wall Plate
W 560g



WP-005

Scissor Mount for Drop Ceiling 5/8" Pin
W 120g



MT-001

5/8" Female to 5/8" Female Converter Socket
L 65mm W 80g



MT-002

5/8" Female to 5/8" Female Converter Socket
L 65mm W 80g



MT-003

5/8" Female to 11/16" Female Converter Socket
L 78mm W 100g



MT-004

5/8" Female to 11/16" Female Converter Socket
L 78mm W 100g



MT-005

3/8" Pin to 5/8" Socket Adapter
W 120g



MT-005L

Universal 5/8" Mount Stud Adapter
L 92mm W 170g



MT-007

1/4"-20 Stand Mpunt with 5/8" Receiver
L 84mm W 146g



MT-018

1/4"-20 Male Thread to 5/8" Socket Adapter
W 90g



MT-019

3/8"-16 Male Thread to 5/8" Socket Adapter
W 100g



MT-008

5/8" Receiver to 1-1/8" Pin Adapter
W 300g



MT-009

5/8" Drop Down Pin to 5/8" Receiver Adapter
W 320g



MT-010

5/8" Pin to 5/8" Socket Adapter
W 70g



MT-011

Double Ball Joint Adapter
W 350g



MT-012

Swivel Umbrella Adapter Umbrella Receptacle 7/8mm
W 370g



MT-013

Swivel Umbrella Adapter Umbrella Receptacle 7/8mm
W 320g



MT-014

Swivel Umbrella Adapter Umbrella Receptacle 7/8mm
W 360g



MT-015

Umbrella Bracket with Adjustable Shoe
W 200g



MT-016

Shoe Mount Umbrella Adapter
W 180g



MT-017

Double Ball Joint Adapter 5/8" Pin with 1/4"-20 Female & 3/8"-16 Female Thread
W 500g




EI-A60

Double Ball Joint Adapter
W 760g



MT-020

Umbrella Bracket with Adjustable Shoe
W 250g



MT-021

Grip head
W 2220g

Coupler Clamps



GC-001

Coupler Clamp
Ø30-Ø35mm

160g



GC-002

Coupler Clamp
Ø40-Ø50mm

260g



GC-003

Coupler Clamp
Ø30-Ø35mm

160g



GC-004

Coupler Clamp
Ø40-Ø50mm

280g



GC-005

Coupler Clamp
Ø30-Ø35mm

220g



GC-006

Coupler Clamp
Ø40-Ø50mm

340g



GC-007

Coupler Clamp
Ø30-Ø35mm

320g



GC-008

Coupler Clamp
Ø40-Ø50mm

450g



GC-009

Coupler Clamp
Ø30-Ø35mm

250g



GC-010

Coupler Clamp
Ø40-Ø50mm

300g



GC-011

Coupler Clamp
Ø30-Ø35mm

260g



GC-012

Coupler Clamp
Ø40-Ø50mm

400g



GC-013

Parallel twin coupler(S)
Ø30-Ø35mm

320g



GC-014

Parallel twin coupler(L)
Ø42-Ø50mm

550g



GC-015

Twin coupler(S)
Ø30-Ø35mm

340g



GC-016

Twin coupler(L)
Ø42-Ø50mm

460g



GC-017

Twin coupler
Ø30-Ø35mm & Ø42-Ø50mm

560g



EI-A67

Coupler with 5/8" stud
Ø40-Ø50mm

500g



GC-019

Coupler Clamp
Ø42-Ø50mm

500g



GC-020

Coupler Clamp
Ø42-Ø50mm

800g



TC-001

Boom Clamp
Compatible Diameter: 4/8/12/16mm

600g



TC-002

Boom Clamp
Compatible Diameter: 8/16/19/25mm

620g



TC-003

Grip Head
Compatible Diameter: 8/16/19/25mm

580g



TC-004

Grip Head
Compatible Diameter: 8/16/19/25mm

700g



TC-005

Double Grip Head
Compatible Diameter: 8/16/19/25mm

1050g



TC-006

Double Super Clamp
Clamping Range: Φ13-55mm

1080g



TC-007

Grip Head with Super Clamp
Clamping Range: Φ13-55mm

1000g



TC-008

Double Swivel Clip

160g



TC-009

Pipe Clamp with 5/8" Pin
Clamping Range: Φ16-50mm

400g



TC-010

Pipe Clamp with 5/8" Pin & Grip Head
Clamping Range: Φ16-50mm

840g



TC-011

Pipe Clamp with 5/8" Pin & Single Hook
Clamping Range: Φ16-50mm

500g



TC-012

Pipe Clamp with 5/8" Pin & U Hook
Clamping Range: Φ16-50mm

480g



TC-013

Spring Clamp
with 1/4"-20 Male Thread

160g



TC-014

Pipe Clamp
with 1/4"-20 Male Thread

220g



TC-015

Mounting Clamp
Clamping Range: Φ3-37mm

150g



TC-016

Pipe Clamp with 5/8" Receiver
Clamping Range: Φ6-36mm

180g



C-001

Adjustable Gaffer Clamp
5/8" Pin & 5/8" Receiver
Clamping Range: Φ25-65mm

720g



C-002

Pelican Gaffer Grip
5/8" Pin & 5/8" Receiver
Clamping Range: Φ15-80mm

1080g



C-003

Swiveling Pipe Clamp
Clamping Range: Φ28-78mm

1860g



C-004

Pipe Clamp
Clamping Range: Φ16-65mm

900g



S-048

Safety Cable
18" x 1.5mm

22g



S-049

Safety Cable
32" x 1.5mm

25g



S-050

Safety Cable
32" x 3.0mm

50g



S-051

Safety Cable
41" x 5.0mm


140g



S-052

400*450mm Laptop Tray

1750g



C-004S

G shape clamp
Pin: 1-1/8" (12.5mm)

410g



E11-096

Pipe Clamp
Clamping Range: Φ16-65mm

900g



C-005

Pipe Clamp
Clamping Range: Φ16-65mm

950g 100kg



C-006

Pipe Clamp
Clamping Range: Φ10-60mm

540g



S-052A

Laptop Tray

1090g



S-053

Laptop Tray

1200g



S-054

Sand Bag

220g 5kg



S-055

Sand Bag

80g 5kg



S-056

Sand Bag

260g



C-007

Clamp with Baby Pin 5/8" Pin &
1/4"-20 Female Thread
Max.Clamping Length: Φ55mm

140g



C-008

4" A Clamp

80g



C-009

6" A Clamp

200g



C-010

9" A Clamp

400g



C-011

Foam Core Clamp

450g



F-001

Foam core Fork
Male 1/4" & 3/8" Thread


170g



F-002

Foam core Fork
Male 1/4" & 3/8" Thread


350g



F-003

Foam core Fork Stand
Male 1/4" & 3/8" Thread

350g



F-004

Foam core Fork
with 5/8" & 15cm stud

380g



C-012

C-Clamp with 2 Baby Pins
Clamping Range: Φ20-320mm

3950g



C-013

C Clamp with Junior Reciever
Clamping Range: Φ20-320mm

4500g



MT-022

5/8" to 1-1/8" Receiver Adapter
Small Size


70mm 440g



MT-023

5/8" to 1-1/8" Receiver Adapter
Large Size

120mm 660g



F-005

Foam core Fork
with 5/8" & 15cm stud

660g



F-006

Foam core Clamp
with 5/8" Stud


740g



F-007

Foam core Clamp
with 5/8" Receiver and 1-1/8" Stud

1000g



SK-10

Wind-bracing kit

Stands & Arms



AM-005

C-Stand Boom
1/4"-20 Male to 3/8"-16 Male Thread
L 126.5cm W 950g



AM-006

6" Extension Arm with Spigot
L 19.5cm W 200g



EI-A63

Offset Arm
W 420g



AM-008

Offset Arm
W 720g



AM-009

3 Section Articulated Arm
5/8" Pin with 1/4"-20 Female Thread & 5/8" Pin with 3/8"-16 Female Thread
W 520g



AM-010

2 Section Articulated Arm
5/8" Pin with 1/4"-20 Female Thread & 5/8" Pin with 3/8"-16 Female Thread
W 420g



AM-011

2 Sections Double Articulated Arm
5/8" Pin with 3/8"-16 Female Thread & 5/8" Hex Pin
L 52cm W 29cm W 650g



AM-012

3 Sections Double Articulated Arm
5/8" Pin with 3/8"-16 Female Thread & 5/8" Hex Pin
L 76cm W 29cm W 800g



RC-001

Reflector Clamp
L 1840mm W 815mm W 1000g



RC-002

Reflector Clamp
L 1440mm W 815mm W 880g



RC-003

Reflector Clamp
L 1245mm W 685mm W 660g



MS-011

Swing Wall Mount Set
L 1400mm W 400mm



MS-012

Photo Flag Arm
L 800mm W 640mm W 880g

Multiple Mount Stands



MS-001

Multiple Mount Light Stand
5/8" socket x1 5/8" stud x3
Tube Size: 25x25mm
L 50cm



MS-002

Multiple Mount Light Stand
5/8" socket x3 5/8" stud x1
Tube Size: 25x25mm
L 50cm



MS-003

Multiple Mount Light Stand
5/8" socket x1 5/8" stud x4
Tube Size: 25x25mm
L 60cm



MS-004

Multiple Mount Light Stand
5/8" socket x1 5/8" stud x5
Tube Size: 25x25mm
L 75cm



MS-005

Multiple Mount Light Stand
5/8" socket x1 5/8" stud x5
Tube Size: 20x40mm
L 77cm W 1850g



MS-006

Multiple Mount Light Stand
5/8" socket x5 5/8" stud x1
Tube Size: 25x25mm
L 75cm




MS-007

Multiple Mount Light Stand
Tube Size: 30x30mm
L 50.5cm



MS-008

Multiple Mount Light Stand
Tube Size: 30x30/25x25mm
L 53-74.5cm W 2150g



MS-009

Multiple Mount Light Stand
Tube Size: 20x40mm
L 53cm



MS-010

Tripod Boom
Tube Diameter: 30mm
L 60cm W 1750g W 10kg



LCS-MINI

Mini Portable C-Stand Kit

	27cm/10.6"
	47cm/18.5"
	30cm/11.8"
	10, 15, 20mm
LEG	10mm
	940g/2.1lb
	500g/1.1lb
	1/4"
	21cm/8.3"
	25cm/9.8"



Foldaway, twist-and-release locking legs.
Removable cross arm.

THE NEW
E-IMAGE
WEBSITE



EI-A68S

Ceiling Mount Light Stand

	25cm/9.8"
	25cm/9.8"
	25cm/9.8"
	22.4mm
	650g/1.4lb
	2.5kg/5.5lb
	1/4"
SECTION	1
BASE	80x120mm



EI-A68

Ceiling Mount Light Stand

	36cm/14.2"
	55cm/21.7"
	36cm/14.2"
	19, 22.4mm
	650g/1.4lb
	3kg/6.6lb
	1/4"
SECTION	2
BASE	80x120mm



EI-A68L

Ceiling Mount Light Stand

	59.5cm/23.4"
	100cm/39.4"
	58.5cm/23.0"
	19, 22.4mm
	820g/1.8lb
	2.5kg/5.5lb
	1/4"
SECTION	2
BASE	80x120mm



20ARM

20" Extension Arm


1190g



30ARM

30" Extension Arm

1230g



40ARM

40" Extension Arm

1260g



Fixed grip head.

CONTENTS

New Products
Video Supports
Tripod Accessories
Bags
Accessories
Stands
Grips
Magic Series
Lighting Collection
Microphones

www.eimagevideo.com

[V1.0] 2023.7