

EG08A2 Video Tripod System

E-Image 2-stage aluminum tripod with GH08 head supports cameras and accessories weighing up to 8kg (17.6lbs). It includes a GH08 fluid head, a GA752 two stages aluminum legs, and a GS01 mid-level spreader. The head and legs feature a 75mm ball/bowl. The tripod extends to a height of 169.5cm and collapses down as low as 76cm. A kit bag is included.



T10 Carry bag

Full padded portable carrying bag providing good protection during movement.

Specifications:

Payload	8.0kg / 17.6lbs
Height range	76-169.5cm / 29.9-66.7in
Transport length	84.5cm / 33.3in
Net weight	5.5kg / 12.1lbs
Bowl size	75mm

What's included:

Head	GH08
Tripod	GA752
Packing	T10 Carry bag

GH08 75mm Fluid Head

The GH08 head is specially designed for supporting handheld size of DV, DVCAM, HVX and HDV camcorders. It features a quick release sliding balance plate system for attaching the camera to the head. It provides 7 counterbalance settings that helps the fluid head support loads up to 8kg (18lbs). It features with fixed drag on both pan and tilt. The head features a built in 1/4"-20 & 3/8"-16 accessory socket for available monitor support arms or other accessory items. It has self-illuminated touch bubbles for easy leveling in poor light conditions. With standard 75mm bowl, the heads could be equipped with all 75mm bowl size legs.



Features



Fixed pan & tilt drag for smooth movement.



1-7 grades of counterbalance for perfect balance.



A built-in illuminated bubble level to assist balancing in darkness (automatic delay off).



GP1 quick release plate





Additional 1/4"-20 & 3/8"-16 screw hole for articulating accessories.

Specifications

	Payload	2.0-8.0kg / 4.4-17.6lbs
	Counterbalance	1-7
	Grades of pan drag	Fixed
	Grades of tilt drag	Fixed

	Tilt range	-60°~+90°
	Temperature range	-40°C~+80°C
	Net weight	2.0kg / 4.4lbs
	Bowl size	75mm

Counterbalance Graph






GA752 75mm Video Tripod

The E-IMAGE GA752 two stages aluminum tripod supports a payload weighing up to 88lbs. It is made of lightweight aluminum has a 75mm bowl and the legs are a twin tube design with two stages. The Mono-Lock feature allows for quick height adjustments of both stages with one twist. An adjustable mid-level spreader provides extra security and stability.



75mm bowl size.



The Mono-Lock feature allows for quick height adjustments of both stages with one twist.



Adjustable middle spreader adding extra stability.



Ergonomic hand locking knob.



High quality aluminum tube.



Spike foot & big rubber are both available.

Specifications:

Payload	40.0kg / 88.0lbs
Height range	63.5-157.0cm / 25.0-61.8in
Transport length	72.0cm / 28.3in
Net weight	3.6kg / 7.9lbs
Bowl size	75mm
Sections	3
Material	Aluminum

Recommend accessories



GS02 Ground spreader



EI-7003 Dolly



EI-7003C Dolly