

EG25C Video Tripod System

E-Image 1-stage carbon fiber tripod with GH25 Head supports cameras and accessories weighing up to 28kg (61.7lbs). It includes a GH25 fluid head, a GC101 one stage carbon fiber legs, and a GS02 ground spreader. The head and legs feature a 100mm ball/bowl, which provides a wide support platform. The tripod extends to a height of 157cm and collapses down as low as 80cm. A kit bag is included.



T30 Carry bag

Full padded portable carrying bag providing good protection during movement.

Specifications:


Payload	28.0kg / 61.7lbs
Height range	80-157cm / 31.5-61.8in
Transport length	101.5cm / 40.0in
Net weight	8.1kg / 17.9lbs
Bowl size	100mm

What's included:

Head	GH25
Tripod	GC101
Packing	T30 Carry bag

GH25 100mm Fluid Head

The GH25 fluid head features 15 steps (1-15) counterbalance system with a 70mm (2.8in) sliding plate for perfect balance, and 8 steps (0-7) drag in both pan and tilt for smooth movement. A built-in illuminated bubble level to assist balancing in darkness and extendable dual panhandles are included.



Features



0-7 grades of pan & tilt drag for smooth movement.



1-15 grades of counterbalance for perfect balance.



A built-in illuminated bubble level to assist balancing in darkness (automatic delay off).



GP2 quick release plate with an extra 145mm (5.7in) sliding range.





Additional 1/4"-20 & 3/8"-16 screw hole for articulating accessories.

Specifications

	Payload	3.0-28.0kg / 6.6-61.7lbs
	Counterbalance	1-15
	Grades of pan drag	0-7
	Grades of tilt drag	0-7

	Tilt range	-70°~+90°
	Temperature range	-40°C~+80°C
	Net weight	4.2kg / 9.3lbs
	Bowl size	100mm

Counterbalance Graph



GC101 100mm Video Tripod

The GC101 single-stage carbon fiber tripod supports a payload weighing up to 60kg (132lbs). It is made of lightweight carbon fiber, has a 100mm bowl. The tripod can be adjusted to a maximum height of 140.5cm and a minimum height of 63.5cm with a folded length of 85cm. The Mono-Lock feature allows for quick height adjustments of both stages with one twist. An adjustable floor spreader provides extra security and stability.



100mm bowl size.

60 kg
Payload



Ergonomic hand locking knob.



High quality carbon fiber tube.



Adjustable ground spreader adding extra stability.



Dual spiked feet provide stability for working on soft or irregular surfaces.



Specifications:

Payload	60.0kg / 132.0lbs
Height range	63.5-140.5cm / 25.0-55.3in
Transport length	85cm / 33.5in
Net weight	3.9kg / 8.6lbs
Bowl size	100mm
Sections	2
Material	Carbon fiber

Recommend accessories



GS01 Middle spreader



F3 Rubber feet



EI-7005 Dolly



EI-7005B Dolly